

# Index

- absolute measure, 94  
aggregate, 82  
aggregated distribution, 82  
Akaike criterion - AIC, 240  
Analytical test, 90  
areal data, 6, 23  
bandwidth, 206, 211, 223, 238  
benchmarking, 320  
Best Linear Unbiased Predictor - BLUP, 313  
block kriging, 136  
bottom-up selection, 156  
cartographic semiology, 7  
centrality, 335  
centroid, 23  
change of support, 134  
choropleth maps, 8, 19  
class analysis, 8  
cliques, 338  
cokriging, 136  
communities, 337  
Complete Spatial Randomness - CSR, 76  
completely random distribution, 81  
confidentiality, 212  
continuous data, 5  
Cross Validation criterion - CV, 240  
data – Beischmiedia pendula, 107  
data – Murchison, 107  
data – paracou16, 89, 99, 100, 103  
Delaunay, 34  
Delaunay triangulation, 25  
ecological errors, 162, 286  
economic competition, 151  
edge effect, 76  
edge effects, 206, 210  
Empirical Best Linear Unbiased Predictor - EBLUP, 315  
empirical dispersion variation, 134  
ESPON, 27  
estimator – composite, 314  
estimator – direct, 311  
estimator – Henderson, 313  
estimator – Horvitz-Thompson, 248, 257  
estimator – mixed, 314  
estimator – pseudo direct, 314  
estimator – quality, 316  
estimator – synthetic, 314  
feedback effect, 157, 185  
first-order property of a point process, 78  
flow, 328  
forecast, 313  
free scale networks, 331  
function – autocorrelation, 116  
function – Baddeley, Møller, Waagepetersen’s  $K_{inhom}$ , 88  
function – Besag’s  $L$ , 86  
function – covariance, 116  
function – Diggle and Chetwynd’s  $D$ , 87  
function – Duranton and Overman’s  $K_d$ , 95  
function – intertype, 102  
function – intertype  $K$ , 102  
function – intertype  $M$ , 103  
function – Marcon and Puech’s  $M$ , 96  
function – random, 114  
function – Ripley’s  $K$ , 83  
Geary index, 56  
generalised least square, 313  
geographically weighted regression, 171  
Geostat 2, 256  
geostatistics, 114  
Getis and Ord index, 62  
graph – k-regular, 328  
graph – neighbourhood, 34  
graph – random, 328  
graph – small world, 328  
graph – theory, 333  
graphs, 327  
graphs partitioning, 327  
GRTS, 41, 262  
GRTS ordering, 266  
Hamilton path, 258  
heteroskedasticity, 161  
homogeneity, 77  
homogeneous Poisson process, 76, 77  
imputation, 290  
inclusion probabilities, 257  
independence, 77

- inhomogeneous Poisson process, 79  
 intensity, 78  
 intrinsic stationarity, 115  
 isotropy, 80
- join count statistics, 60
- kernel, 206, 209, 236  
 knn, 37  
 kriging, 5, 127  
 kriging variance, 128
- LISA, 62
- local spatial autocorrelation indices, 6
- Mapinfo, 16
- maps in proportional symbols, 18
- marked point process, 75
- matrix standardisation, 44
- MAUP, 57, 74, 93, 134, 162, 206
- maximum likelihood, 315
- mean squared error, 320
- method – classes of the same amplitude, 8
- method – cube, 263
- method – division, 341
- method – Jenks, 8
- method – k-means, 8, 260
- method – quantile, 8
- method – spatial cube, 264
- MINIMAX property, 257
- model – cardinal sine, 124
- model – exponential, 124
- model – Fay and Herriot, 311, 315
- model – fixed effects, 181, 186
- model – gaussian, 124
- model – generalised linear mixed, 310, 312
- model – hedonic, 232
- model – linear mixed, 311
- model – logistic, 310
- model – Manski, 154
- model – Matern, 124
- model – mixed linear, 307
- model – Poisson, 310, 312
- model – pooled data, 181
- model – power, 124
- model – random effects, 181, 187
- model – RE-SEM (KKP), 184
- model – SME-RE, 184
- model – Spatial Auto Regression (SAR), 155, 183, 280
- model – Spatial Autoregressive Confused (SAC), 155
- model – Spatial AutoRegressive with Autoregressive Disturbance (SARAR), 183
- model – Spatial Durbin (SDM), 155, 183
- model – Spatial Durbin Error (SDEM), 155, 183
- model – spatial dynamic, 198
- model – Spatial Error (SEM), 155, 183
- model – Spatial Lag X (SLX), 155
- model – spatial multidimensional, 199
- model – spherical, 123
- model with variable coefficients, 234
- modularity, 338
- Monte Carlo method, 88
- Moran index, 56
- Moran indicator, 153
- Moran’s diagram, 53
- multi-type process, 98
- multicollinearity, 250
- multiple testing, 65, 252
- neighbourhood matrix, 32
- neighbourhood of points, 75
- neighbourhood Queen Rook, 39
- nonparametric regression, 215
- normality hypothesis, 55
- observation window, 75
- package – BalancedSampling, 263
- package – btb, 217
- package – cartography, 12
- package – dbmss, 89, 91, 97, 99–103, 105–107
- package – deldir, 24
- package – dplyr, 23
- package – ETAS, 83
- package – geoR, 118
- package – gstat, 266
- package – GW.model, 240
- package – igraph, 330
- package – leaflet, 20
- package – maps, 191
- package – maptools, 191
- package – plm, 191
- package – rgdal, 12
- package – rgeos, 12
- package – RgoogleMaps, 20
- package – sae, 321
- package – sf, 20

- package – *sp*, 12, 137, 191  
package – *spaMM*, 321  
package – *spatstat*, 73, 77–82, 84–89, 91, 97, 99–102, 105, 107, 217  
package – *spdep*, 34, 59  
package – *splm*, 191  
package – *stargazer*, 193  
package – *TSP*, 41  
panel model with common factor, 200  
peer effects, 154  
Permanent database of facilities - BPE, 73, 91, 97, 101, 106  
point data, 4, 73, 83, 99  
Primary Sampling Units, 257  
process intensity, 206  
projection system, 18  
proportional symbols maps, 10  
quantile smoothing, 217  
random point process, 74  
randomisation hypothesis, 55  
regionalized variable, 114  
regular distribution, 81  
regularised variable, 134  
relative measure, 94  
ridge regression, 252  
Robust Geographically Weighted Regression, 240  
sampling, 256, 306  
sampling – bias, 306  
sampling – areolar, 283  
sampling – Bernoulli, 282  
sampling – cluster, 283  
sampling – Correlated Poisson, 262  
sampling – determinantal, 267  
sampling – ordered, 265  
sampling – pivotal, 263  
sampling – Poisson, 282  
sampling – simple random, 282  
sampling – spatial pivotal, 263  
sampling – Spatially Correlated Poisson, 262  
sampling – stratified, 284  
sampling – variance, 306  
sampling design, 256, 306  
second order stationarity, 115  
second-order properties of point patterns, 79  
shapefile, 16  
shortest path, 40, 258  
shrinkage, 319  
Simultaneous AutoRegressive model – SAR, 309  
size effect, 285  
small areas, 305  
smoothing, 205  
solid colour maps, 8, 19  
spatial autocorrelation, 52, 152  
spatial autocorrelation indices, 55, 153, 164  
spatial autocorrelation of categorical variables, 60  
spatial data confidentiality, 349  
spatial dependence, 52, 53, 152  
spatial distribution of points, 71, 75  
spatial econometric on panel data, 179  
spatial econometrics, 149  
spatial econometrics of survey data, 277  
spatial heterogeneity, 152, 161, 232  
spatial prediction, 247  
spatial relationships, 32  
spatial sampling, 255  
spatio-temporal indices, 68  
specification tests for spatial econometric, 155  
specification tests for spatial econometric on panel data model, 189  
stationary process, 80  
strict stationarity, 115  
support, 134  
survey, 255, 256, 282, 305  
test stationarity coefficients, 247  
top-down selection, 156  
topographical measure, 94  
trajectory optimisation, 258  
universal kriging, 139  
variogram, 117  
variogram adjustement, 125  
variogram cloud, 119  
Verdoorn’s law, 190  
Voronoi Index, 269  
voronoi, 23  
voronoi polygons, 23  
weak stationarity, 115  
weight matrix, 42, 153, 160, 236  
weighted least squares, 235  
window, 75